

En-Trade Inc.

AMBER BRAND CAPACITORS - PRICE LIST

SERIES MIV - OVAL ALUMINIUM

AIR-CONDITIONER CAPACITORS 50/60 Hz in OVAL Shape

Aluminium cans, Impregnated & Protected, UL Approved

CAD\$. Ex-Oakville, ON.

| S.No. | MFD | 370 Volt | | | 440 Volt | | | |
|-------|--------|---------------------|----------|----------|---------------------|----------|---------------------|----------|
| | | Quantity per carton | A Class | B Class | Quantity per carton | A Class | Quantity per carton | B Class |
| | | Pcs | \$ Price | \$ Price | Pcs | \$ Price | Pcs | \$ Price |
| 1 | 2.0 | 90 | 1.35 | 1.28 | 90 | 1.39 | 90 | 1.35 |
| 2 | 3.0 | 90 | 1.40 | 1.31 | 90 | 1.47 | 90 | 1.40 |
| 3 | 4.0 | 90 | 1.45 | 1.35 | 45 | 1.55 | 90 | 1.45 |
| 4 | 5.0 | 90 | 1.58 | 1.47 | 45 | 1.79 | 90 | 1.58 |
| 5 | 6.0 | 90 | 1.84 | 1.67 | 45 | 2.01 | 90 | 1.84 |
| 6 | 7.5 | 45 | 1.90 | 1.75 | 45 | 2.05 | 45 | 1.90 |
| 7 | 8.5 | 45 | 2.09 | 1.88 | 45 | 2.25 | 45 | 2.09 |
| 8 | 10.0 | 45 | 2.19 | 1.98 | 45 | 2.33 | 45 | 2.19 |
| 9 | 12.5 | 45 | 2.42 | 2.13 | 45 | 2.55 | 45 | 2.42 |
| 10 | 15.0 | 45 | 2.55 | 2.25 | 45 | 2.88 | 45 | 2.55 |
| 11 | 17.5 | 45 | 2.72 | 2.35 | 45 | 3.02 | 45 | 2.72 |
| 12 | 20.0 | 45 | 3.02 | 2.56 | 22 | 3.29 | 45 | 3.02 |
| 13 | 25.0 | 45 | 3.37 | 2.85 | 22 | 3.81 | 45 | 3.37 |
| 14 | 30.0 | 22 | 3.53 | 2.92 | 22 | 4.20 | 22 | 3.53 |
| 15 | 35.0 | 22 | 3.77 | 3.06 | 22 | 4.70 | 22 | 3.77 |
| 16 | 40.0 | 22 | 4.28 | 3.43 | 22 | 5.05 | 22 | 4.28 |
| 17 | 45.0 | 22 | 4.61 | 3.71 | 15 | 5.50 | 22 | 4.61 |
| 18 | 50.0 | 22 | 4.85 | 3.84 | 15 | 5.86 | 22 | 4.85 |
| 19 | 55.0 | 22 | 5.05 | 3.97 | 15 | 6.26 | 22 | 5.05 |
| 20 | 60.0 | 15 | 5.77 | 4.54 | 15 | 6.90 | 15 | 5.77 |
| 21 | 5+30 | 22 | 4.10 | 3.36 | 22 | 4.84 | 22 | 4.10 |
| 22 | 5+35 | 22 | 4.41 | 3.53 | 22 | 5.48 | 22 | 4.41 |
| 23 | 5+40 | 22 | 4.65 | 3.73 | 22 | 5.62 | 22 | 4.65 |
| 24 | 5+45 | 22 | 4.95 | 3.93 | 22 | 5.95 | 22 | 4.95 |
| 25 | 5+50 | 22 | 5.54 | 4.38 | 15 | 6.30 | 22 | 5.54 |
| 26 | 5+60 | 22 | 6.23 | 4.91 | 15 | 7.19 | 22 | 6.23 |
| 27 | 6+30 | 22 | 3.91 | 3.34 | 22 | 4.77 | 22 | 3.91 |
| 28 | 6+35 | 22 | 4.54 | 3.77 | 22 | 5.58 | 22 | 4.54 |
| 29 | 6+40 | 22 | 4.85 | 4.13 | 22 | 5.86 | 22 | 4.85 |
| 30 | 6+45 | 22 | 5.19 | 4.27 | 22 | 6.22 | 22 | 5.19 |
| 31 | 7.5+30 | 22 | 4.37 | 3.64 | 22 | 4.73 | 22 | 4.37 |
| 32 | 7.5+35 | 22 | 4.48 | 3.87 | 22 | 5.19 | 22 | 4.48 |
| 33 | 7.5+40 | 22 | 4.68 | 3.96 | 22 | 5.62 | 22 | 4.68 |
| 34 | 7.5+45 | 22 | 5.00 | 4.24 | 22 | 5.79 | 22 | 5.00 |